




Prism Type	Image 1	Image 2	Absolute Prism Constant for: Nikon, Pentax, Sokkia, Topcon, Trimble	Leica Prism Constant
GD-PR1 (Copper or Silver)			-34.4	0.0
GD-PR111			-34.4	0.0
GD-PR121 (Copper or Silver)			-34.4	0.0
Retro-reflective tape	25x25mm 	40x40mm 	0.0	+34.4
GD-LBAR (Copper or Silver)			-25.4	+9.0
GD-DLBAR Dual L-bar prism (Copper or Silver)			-16.9	+17.5

Prism Type	Image 1	Image 2	Absolute Prism Constant for: Nikon, Pentax, Sokkia, Topcon, Trimble	Leica Prism Constant
GD-LBARWH			-16.9	+17.5
GD-LBARMini 12.7mm diam. (Copper or Silver)			-23.4	+11.0
GD-UBAR (Copper or Silver)			-16.9	+17.5
GD-MP101			-16.9	+17.5
GD-YMP (Copper or Silver)			-16.9	+17.5
GD-RMP-175C			-16.9	+17.5

Prism Type	Image 1	Image 2	Absolute Prism Constant for: Nikon, Pentax, Sokkia, Topcon, Trimble	Leica Prism Constant
GD-RMP-0C			-34.4	0.0
GD-RMP-0/30 Reversible 0 / -30mm (absolute)			0.0 / -30.0	+34.4 / +4.4
GD-360MP Mini 360° (Copper or Silver)			-6.0	+28.4
GD-360-122 (Precise 360°)			-11.3	+23.1
46-1450 (30 mm ball monitoring prism)			-11.3	+23.1
46-1445 (38.1 mm ball monitoring prism)			-16.9	+17.5

Prism Type	Image 1	Image 2	Absolute Prism Constant for: Nikon, Pentax, Sokkia, Topcon, Trimble	Leica Prism Constant
46-BRT-K Double-sided Bireflex Target			+2.0	+36.4
GD-PR112 Monitoring prism			-41.4	-7.1